



Multifunctional 380V Candy Bar Cereal Bar Line 400kg/h- 1000kg/h Capacity

Specifications :

Payment Terms	L/C T/T Western Union
keyword	Automatic Cereal Bar Line, Sugar & Syrup mixing and dissolving ,Automatic Cereal Bar Line,Aeration system, Automatic Cereal Bar Line, Holding hopper


Detail Introduction :

Automatic Cereal Bar Line

PRODUCT DESCRIPTION

SINOFUDE Design and Manufacture the multifunctional candy bar/nogar bar/ cereal bar line is fully automatic and advanced production line for making high quality snack bar products. With flexible functional combination, the automatic cereal bar line can be used for making single products or multiple products.

Automatic cereal bar line PLC/HMI/Servo drive etc high-tech are widely used in the whole line, VFD speed control, fully automatic operation from raw materials feeding till packaging, different capacity available with different width belt, 3~5 layer combination materials in each bar; final products size can be adjusted easily; Whole line with GMP standard fabrication are the highlights advantages in this automatic cereal bar line.





YOUR RELIABLE
BUSINESS PARTNER!

info@sinofude.com





Automatic Cereal Bar Line SPECIFICATIONS

Model	CTPM400	CTPM600	CTPM1000	CTPM1200
Capacity (up to)	400kg/h	600kg/h	1000kg/h	1200kg/h
Belt Width	400mm	600mm	1000mm	1200mm
Power	48kw/380V	68kw/380V	85kw/380V	100kw/380V
Steam Needed	0.5~0.8MPa 400kg/h	0.5~0.8MPa 600kg/h	0.5~0.8MPa 800kg/h	0.5~0.8MPa 1000kg/h
Length of Line	18m	25m	28m	30m
Machine Weight	8500kg	10000kg	12500kg	15000k





YOUR RELIABLE
BUSINESS PARTNER!

info@sinofude.com

